


PRODUCT DATASHEET

C3 Emptying Bag	
	
Brand	: CURAS®
Category	: Urology
Range	: Drainage Bags
Product REF	20460 & 20461
Product Group	: C3 Specialty Bags (Patent Pending)



PRODUCT DESCRIPTION

The C3 Emptying Bag by Curas is a uniquely clean, disposable and fully closed urine drainage system. The C3 Emptying Bag is designed for a safer emptying and draining of the patient's urine when removed from the catheterized patients' urine drainage bag.

Importantly, C3 Emptying Bags come with the Flexi-Funnel™ feature that allows safe and easy connection to all forms of bottom outlets/drainage tap or tubes, irrespective of whether the patients' drainable urine bag is a regular urine bag or a more advanced urine meter system.

The most popular C3 model (REF 20460) comes with integrated SAP by Curas™ (Super Absorbent Polymer) for immediate solidifying and safe handling of urine. The C3 Emptying Bags are also fitted with Dual-NRV System (including Spigot for SAP models), as a default solution to further avoid risks of spillage. Products come with options of 2L capacity.

REF	Description	Capacity
20460*	C3 Emptying Bag w/SAP by Curas™, Dual-NRV System (incl. Spigot), Flexi-Funnel™, Cross-Hanger™, CleanPak™, WardPak™	2L
20461*	C3 Emptying Bag, NRV, Flexi-Funnel™, Cross-Hanger™, CleanPak™, WardPak™	2L

*International Patent Pending

INTENDED USE

As depicted by its name, the unique Curas C3 Emptying Bags (Patent Pending) are used for draining and emptying urine from patients' drainable bags. Designed to assist nurses, including in the critical and highly infectious conditions. It is a much safer, cleaner, convenient and hygienic option in comparison to the common use of jug, urinal or otherwise open emptying method.

The picture below illustrates how the Curas C3 Emptying Bag should be connected to a drainable urine bag.



FEATURES & BENEFITS

- The C3 Emptying Bag provides a safer and more convenient method of draining and emptying of urine from the patient's drainable urine bag.
- Super absorbent polymer (SAP by Curas™) rapidly crystallises urine; thus, ensuring safe disposal of urine without any risk of spillage.
- Clear ml-graduation markings on C3 Emptying Bag allow easy reading on the approx. amount of urine collected.
- Flexi-Funnel™ fits all common cross valve, tubes and free-flow valve of Closed System Bag and Urine Meter.
- The Cross Hanger™ is a uniquely designed cord system that provides extra security for the nurses when hanging, holding and carrying the C3.
- Dual NRV System (including spigot) ensures no reflux of urine and risk of urine spillage and thus the safe transfer of C3 bag for disposal.
- Double-sealed bag and premium level foil material are designed to provide extra strength in use.
- The integrated tear-off slit is convenient for disposing bag content (for non-SAP version 20461).
- CleanPak™ is designed to provide 100% protection of hygienic integrity.
- C3 packaging comes with data (LOT, EXP), and product tracking via bar-coding for control.
- Medium-level packaging system, WardPak™ dispensing box, allows easy use at ward level.

PRODUCT SPECIFICATIONS

REF	SAP	Capacity	Non-Return Valve	Spigot	Flexi-Funnel™	Cross Hanger™	CleanPak™ (Individual Inner Bag)	WardPak™ (Box)	Weight/pc
20460	Yes	2L	Yes	Yes	Yes	Yes	Yes	Yes	~50g
20461	No	2L	Yes	No	Yes	Yes	Yes	Yes	~24g

Composition

- Bag and connector made of PVC.
- Cord made of Dacron.
- Spigot made of PE.
- Super absorbent polymer (SAP by Curas™) composed of sodium polyacrylate powder.
- All components are 100% latex-free.
- The material contains DEHP phthalates.

Country of Origin

- China

Sterilization

- Non-sterile

Shelf life

- 5 years - REF 20460 (with SAP by Curas™)
- 8 years - REF 20461

Standards & Guidelines

- | | | |
|--|---------------------|----------------------|
| ■ MDD 93/42/EEC (CE marking, Class I), amended by Directive 2007/47/EC | ■ EN ISO 8669-2 | ■ EN ISO 11607-1 & 2 |
| ■ ISO 9001:2008 | ■ EN ISO 11138-2 | ■ EN ISO 11737-1 & 2 |
| ■ EN 15223 | ■ EN ISO 13485:2016 | ■ EN 1041 |
| | ■ EN ISO 14971 | ■ EN ISO 11135-1 |
| | ■ EN ISO 10993-1 | ■ EN 62366 |

Recommended Storage Condition

- Store at dry, clean, and well-ventilated area at room temperatures between 15° to 25°C (59°-77°F).
- Do not expose the product to radiation, sunlight and UV light, as it may change the properties of the product.

Proposed Disposal Method

- Dispose of used product into the clinical waste bag or according to the clinical waste protocol, e.g., incineration.

Product Symbols



SAP by Curas™ Symbols (*Applicable for REF 20460 only)



PACKAGING INFO

REF	EAN-13 Barcode	CleanPak™	WardPak™	Carton	Gross Weight
20460	5051400204609	1 pc / bag	25 pcs / box	200 pcs / carton	~13 kg
20461	5051400204616	1 pc / bag	25 pcs / box	300 pcs / carton	~12 kg

Components / Material Properties			Recommendations on Waste Handling			
Packaging	Material	Contains PVC	Incinerate	Landfill	Recycle	Reuse
CleanPak™	PE	--	√	(√)		
WardPak™	Corrugated Board	--	(√)	(√)	√	
Outer Carton	Corrugated Board	--	(√)	(√)	√	
Transport Pallet	Wood	--			(√)	√

√ = Highly recommended (√) = Recommended

ADDITIONAL INFO

- HS Code: 9018908400
- Documentation available upon request. Kindly contact: info@curas.com